
STRONGER TOGETHER

SEMICON TAIWAN 2025

【南港二館1樓】包柱規範說明

Pillar Decoration Guidelines_TaiNEX2 1F

14 April 2025









台北南港展覽館二館1樓展場攤位臨柱說明與裝潢包柱說明:

- 1. 柱體長寬各均為1.5公尺
- 東、西側包柱柱面之裝修材料,必須抬高離地50公分,以不影響柱體下方工作電源為原則, 固定包柱裝修材料之角料,則可落於地面。
- 3. 增設臨時包柱牆面高度不得高於4公尺,如欲高於4公尺須另申請超高建築。
- 4. 展場既有之柱子牆上不得吊掛、打釘或黏貼海報等裝潢品。
- 5. 如違反上述及相關規定,將逕予拆除,拆除費用由參展廠商負擔; 如施工內容不符法令規定且未及時改善,致消防單位開立罰單時,該罰款及相關責任概由參展廠商負責。 此外,本館將依裝潢作業規範,對違規之施工單位另處以罰款。

- ※ 相關規定如有未盡事宜,本會得隨時修訂之。
- ※ 查詢最新裝潢相關訊息,請至 https://www.tainex.com.tw/venue/app-exhibition/2





TaiNEX 2 Construction Guidelines for Pillar Decoration:

If an exhibition booth includes all or part of a pillar, the exhibitor must fill out the Pillar Decoration Application Form along with a booth design blue print (floor and elevation plan) and submit them to the organizer before July 24, 2025. Once construction permission is issued, exhibitors may begin to decorate the pillar.

Instructions for decorating pillars:

- 1. Please send the completed form along with related layout plans to the exhibition organizer via registered mail before July 24, 2025. The application will be forwarded to TaiNEX 2 for review.
- 2. Exhibitor shall proceed construction upon receiving approval. Pillars shall be wrapped in the following manner:

 (1) The design of furnishing added to the wall surface on the east and west side should be reserved 50 cm from the ground, all furnishing on the pillars shall not block access to any existing electric appliance or fire safety equipment;

 (2) Temporary wall surface wrapping shall not be over 4 meters in height; if the height exceeds 4 meters, a separate application for excess- height structure shall be filed.

Related decoration will be removed at the cost of the lessee and exhibitor if there is breach against above regulation. If the construction work failed to comply with the fire safety regulations and is not improved promptly, the lessee and exhibitor shall bear any penalty imposed by the fire department. Please refer to "Regulations on Work at Taitra Venues "for related regulation."





台北南港展覽館二館1樓 柱子示意圖









柱現況前視

柱現況右視

柱現況左視

柱現況後視

包柱方式說明如下:


- 由於因攤位規劃之因素,整體平面圖有所位移施工時請注意攤位位置與規劃,柱子點位示意圖請參考附件三南港二館平面圖。
- 2. 如【附件四】所示,南港二館柱子位於單一攤位中,相關間距敦請參考所屬攤位柱子之顏色。 施工時且請於現場注意場地點位,避免施工時誤觸他人攤位造成自我權益受損。
- 包柱之柱面裝修材料,須抬高離地50公分,以不影響下方工作電源為原則,包柱角料可落於地面。
- 4. 增設臨時包柱牆面高度不得高於4公尺·如欲高於4公尺須另申請超高建築。
- 5. 柱子尺寸:每一柱子長與寬皆為150公分;既有之牆壁上不得吊掛、打釘或黏貼海報等裝潢品。
- 部分立柱上含設備:1. 消防警示燈 40cm x 30cm x 18.5cm; 2. 空氣品質檢測器 50cm x 65cm x 17cm, 如欲知展位立柱之柱面狀況,請洽SEMICON TAIWAN展商服務中心。







台北南港展覽館二館 包柱施作建議示意圖





部分立柱上含設備:

- . 消防警示燈 40cm x 30cm x 18.5cm
- 2. 空氣品質檢測器 50cm x 65cm x 17cm

如欲知展位立柱之柱面狀況, 請洽SEMICON TAIWAN展商服務中心。





附件三【南港二館平面圖】


柱位編號圖 (Pillar Numbers)


■ 柱 Pillar Size: 1.5×1.5m
















柱位尺寸說明 (Pillar location)

P1-6 • P2-6










柱位尺寸說明 (Pillar location)

P3-6 · P4-6 · P5-6











柱位尺寸說明 (Pillar location)

P6-6 · P7-6









柱位尺寸說明 (Pillar location)

P1-4 \ P1-5 \ P2-4 \ P2-5 Q1-2 \ Q1-3 \ Q2-2 \ Q2-3








柱位尺寸說明 (Pillar location)

P3-4 \ P3-5 \ P4-4 \ P4-5 \ P5-4 \ P5-5
Q3-2 \ Q3-3 \ Q4-2 \ Q4-3 \ Q5-2 \ Q5-3










柱位尺寸說明 (Pillar location)

P6-4 \ P6-5 \ P7-4 \ P7-5 Q6-2 \ Q6-3 \ Q7-2 \ Q7-3









SEMICON® TAIWAN 國際 半 導 體 展

竹件四【南港二館1樓柱子距離各邊尺寸說明】

柱位尺寸說明 (Pillar location)

Q1-1 · Q2-1








SEMICON® TAIWAN 國際 半 導 體 展

竹件四【南港二館1樓柱子距離各邊尺寸說明】

柱位尺寸說明 (Pillar location)

Q3-1 \ Q4-1 \ Q5-1









SEMICON® TAIWAN 國際 半 導 體 展

竹件四【南港二館1樓柱子距離各邊尺寸說明】

柱位尺寸說明 (Pillar location)

Q6-1 · Q7-1











If you have any question, please contact us:

展商服務中心 Exhibitor Service Center

Email: staiwan1@semi.org / staiwan2@semi.org

STRONGER TOGETHER

Thank you

